

User Guide

Panasonic

Panasonic Business Telephone Systems
S-DBS 308/616
2 wire Simple Telephone (MF/Timed Break Recall)

DBS
Digital Business System

INTRODUCTION

The new Panasonic S-DBS is a totally flexible system offering reliable, convenient and cost effective communication to match today's business needs.

Before operating the system, please read this operating guide carefully

This user guide is designed to explain features which the S-DBS user can enjoy using standard 2 wire telephone apparatus.

Any approved 2 wire telephones (LD/MF and TBR) may be used, but to make full use of S-DBS system features Panasonic recommends MF/TBR type telephone.

If you should require further information, please refer to the "Operating Instruction" (A4 Size Manual) supplied with the system control unit.

Note:

To assure the safe use of your telephone, please observe the following guide lines for installation and use.

- 1) Do not use the telephone near sources of electric 'noise' such as fluorescent lamps, air conditioner, washing machine TV sets or radios.
- 2) The telephone should not be exposed to heat sources, direct sunlight, extreme temperatures, moisture, strong vibrations, greasy or dusty environments.
Operating temperature : 0°C~40°C
Operating humidity : 0%~60%
- 3) Never attempt to insert wires, pins, of similar objects in the vents or openings of the telephone set.
- 4) Do not change the unit installation location without consulting your dealer/installer.
- 5) Installation of the telephone system close to welding equipment or a broadcasting ariel may cause radio interference to speech.

1. BASIC FEATURES

Features		Operation
Making an external call	On-hook	 ▶  ▶  ▶  (Phone No.)
Making an interncom call	Tone call	 ▶  ▶  (Extension No.)
	Voice call	 ▶  ▶  ▶  (Extension No.)
	Operator call	 ▶ 
Answering calls	Internal & External	 ▶ 
Call Hold (1)	Internal Hold or External Hold	 (To resume call) ▶  * (Internal Hold or External Hold is determined by program setting.)
Call Transfer (1)	Internal & External	 ▶  (Extension No.)  (Speak) ▶  (You may hang up after hearing ring tone)

2. EXCHANGE LINE FEATURES

Features		Operation
Direct exchange line access		 ▶  ▶  ▶  (Line No.:1-6) (Line No.)
Pooled exchange line access		 ▶  ▶  ▶  (Group No.:1-3) (Group No.)
External Conference	To Set	On line ▶  ▶  (Ext. No.) ▶ When answered ▶ 
Last Number Redial		 ▶  ▶ 
System Speed Dial Memory Redial	Redial Number	 ▶  ▶  ▶  (Code:00-89)

Note: (1) This feature is available with LD type telephone only when the call is required.

Features		Operation
Account Code Entry for Call Logging (2)		 ▶  ▶  ▶  ▶  (Account Code : Max.10digits)
Pulse dial to DTMF dial switching (2)		 ▶  (Dial number)
PBX Recall		 ▶  ▶  (PBX Dial tone is heard)

3.INTERNAL FEATURES

Features		Operation
Zone Paging		 ▶  ▶  (Page Zone Code : 60-63)
Answering a page call		 ▶  ▶ 
Call Pick-up	Group Call Pick-up	 ▶  ▶  ▶ 
	Direct Call Pick-up (2)	 ▶  ▶  ▶  (Ringing Ext. No.)
Do not Disturb	To set or cancel	 ▶  ▶  ▶ 
Conference		(while on a call) ▶  ▶  ▶ (Speak) ▶  (Ext.No.)
Call Waiting Tone	To send a tone	(On receiving a busy tone) ▶  ▶ (Busy tone changes to ringing tone)
Intrusion (Busy Override)		(while receiving a busy tone) ▶  ▶ 
Off-hook Voice announce		(On receiving a busy tone) ▶  ▶ 
Ring Back when free		(On receiving a busy tone) ▶  ▶ 
Message Waiting	To set	(While calling extension) 

Note: (2) This feature is not available with LD type telephone.

Features		Operation
Call Forward	To set	 ►  ►  ►  ►  (Destination Extension No.)
	To cancel	 ►  ►  ► 
Call Forwarded Follow Me	To set	 ►  ►  ►  ►  ►  (Forwarding Ext. No.) (Destination Ext. No.) * (Call Forward can be programmed on destination extension only.)
	To cancel	 ►  ►  ►  (Cancelled on forwarding ext. only)
LRB Pick-up	To cancel	 ►  ►  ► 
K-tel/SLT Parallel Connection	To transfer	 ►  ►  ► 
	K-tel OFF-Mode	 ►  ►  ► 

4. ADDITIONAL FEATURES

Features		Operation
Extension Lock	To lock	 ►  ►  ► 
	To unlock	 ►  ►  ►  ►  (ID code) *(ID code must be set by the operator)

Panasonic Business Systems U.K.

A Division of Panasonic U.K. Ltd.

Panasonic House, Willoughby Road, Bracknell, Berkshire RG12 8FP

Telex: 847652 & Panafax 0344 853705

Telephone: 0344 853941

Printed in Japan

7L 0008AZAJ